



## Pre-Requisites for Good Server Installation on Domino

### Company / Organisation Information

<b>Company Details ( where Good Server is to be installed ):</b>	
Company Name:	
<b>Customer GFE Administrator</b>	
Name:	
Email Address:	
Phone Number	
<b>Customer Network Administrator for Good Server Installation:</b>	
Name:	
Email Address:	
Phone Number:	
<b>Customer Firewall Administrator:</b>	
Name:	
Email Address:	
Phone Number:	
<b>Customer Exchange Administrator:</b>	
Name:	
Email Address:	
Phone Number:	

# Good For Enterprise- Domino Pre-Installation Checklist



## Good Server Software and Equipment

Please confirm that you have downloaded the relevant software and equipment*.			
Good Server Software from <a href="http://www.good.com/downloads">www.good.com/downloads</a> .	<b>Good Server Version</b>		<input type="checkbox"/>
Data enabled SIM cards from your Network			<input type="checkbox"/>
Please check the license keys using the Good Monitoring Portal GMP account <a href="http://www.good.com/gmp">www.good.com/gmp</a> . Details of the account will have been received by the company IT Admin upon completion of an order or request for a trial.			<input type="checkbox"/>
<b>Device Operating Systems:</b>			
Please list target operating systems to be tested during POC			<input type="checkbox"/>
<b>Operating System</b>	<b>Operating System</b>	<b>Operating System</b>	

## Hardware Requirements:

<p>Make sure that your server meets the minimum hardware requirements for Good Server (200 User Spec)</p> <p>Pentium 4 / 2.4 GHz CPU or higher 2 GB RAM (4 GB for Windows 64) , 40 GB HDD 100 / 1000 Ethernet Card</p> <p>1.5MB memory and 40MB free disk space/additional user</p> <p>You are able to find more information about the requirements inside of the <a href="#">Good Quick Installation Guide</a></p>	<input type="checkbox"/>
Ensure that the host machines' time and date are set to your network's correct time and date.	<input type="checkbox"/>
VMWare? - Version	

## Firewall Requirements

<p>Configure your firewall to allow outbound-initiated bi-directional (established) TCP traffic on port 443 and Port 80 from the GFE Server computer</p> <p>It should be possible to reach:</p> <ul style="list-style-type: none"> <li><a href="https://xml29.good.com">https://xml29.good.com</a></li> <li><a href="https://xml28.good.com">https://xml28.good.com</a></li> </ul> <p>If this is restricted please see <a href="#">Good Quick Installation Guide</a></p>	<input type="checkbox"/>
--	--------------------------

## Proxy

Type of Proxy in use	
If BlueCoat no deep level packet inspection of SSL traffic from Good Server	<input type="checkbox"/>
If Bluecoat please use proxy service level account and not DOMAIN\USER authentication	<input type="checkbox"/>
The GoodAdmin user/password must not contain ':','@',or'/' characters	<input type="checkbox"/>

# Good For Enterprise- Domino Pre-Installation Checklist



## Server Requirements and Settings:

### Windows Server: Please select which server OS is running on the Good host

Windows 2003 SP2 32 bit	<input type="checkbox"/>
Windows 2008 64 - bit	<input type="checkbox"/>
Windows Firewall disabled	<input type="checkbox"/>
Virus scanner disabled during installation	<input type="checkbox"/>

### Domino:

<p>“Primary Domino Directory (recommended)” option.</p> <p>.</p> <p><input checked="" type="checkbox"/> The domino server used by the GMM servers should be 8.0.2 or above version. This requirement is enforced by the installer during upgrade. The requirement is due to the fact that HTML feature we introduced in this release works only with 8.0.2 version or above.</p> <p>The customers could still have older versions (7.0.2 and above) of domino server as their primary mail servers and the requirement is only for the secondary server used by GMM.</p> <p><input checked="" type="checkbox"/> All directories, primary (NAB) and secondary (registered in the Directory Assistance), should be located at the root of the data folder of the Domino server.</p> <p><input type="checkbox"/> Install the Domino server as a Domino Messaging server</p> <p><input type="checkbox"/> The Domino server on which Good Messaging Server is to be installed should be installed as a Windows service and should be configured to run as a Windows service and not as a regular application</p> <p><input type="checkbox"/> SMTP Service should not be enabled on the Domino instance running on the Good MobileMessaging Server.</p> <p><input type="checkbox"/> The Domino server on which Good Messaging runs must be installed with the “PrimaryDomino Directory (recommended)” option.</p> <p><input type="checkbox"/> The Domino server on which Good Messaging is to be installed should not be installed as a “partitioned server.”</p> <p><input type="checkbox"/> The Domino server on which Good Messaging runs must have read/write access with “Delete Documents” privileges on every user mail file in your organization. Usually the “LocalDomainServers” group has these required rights. You may not need to alter the Access Control List as long as this Domino server (on which Good Messaging is being installed) is listed in the “LocalDomainServers” group.</p> <p><input type="checkbox"/> If the Domino server on which Good Messaging runs does not have any rights to the users’ mail files and you are setting up the ACL, this server requires Editor Access or higher (such as Designer or Manager access) with the following rights:</p> <ul style="list-style-type: none"> <li>- Create Documents</li> <li>- Delete Documents</li> <li>- Create personal folders/views</li> <li>- Read Public documents</li> <li>- Write public documents</li> </ul> <p><input type="checkbox"/> Good Messaging Server uses the Lotus Domino server ID while instantiating the Lotus Domino APIs and accessing Domino mail databases on other servers in your Domino domain(s). It is recommended that the server ID have the Server ID property “Don't prompt for a password from other Notes-based programs” checked/enabled</p> <p>If your Domino infrastructure has multiple domains:</p> <ul style="list-style-type: none"> <li>o The Domino server on which Good Messaging runs must have “Directory Assistance” enabled for every Domino domain in your organization.</li> <li>o The Domino server on which Good Messaging runs must have connection documents to the Domino servers in the other Domino domains. The Good Messaging Domino server should be a member of “LocalDomainServers” group in every Domino domain.</li> <li>o The necessary Cross certification, either per-server or per-organization level, must be established between the Domino server on which you are installing Good Messaging and the mail and directory servers in other domains to which this Domino server connects.</li> </ul>	<input type="checkbox"/>
--	--------------------------

### SQL: Please select which SQL setup you will be using

SQL 2005 Express installation	<input type="checkbox"/>
Verify that SQL Express is not installed on the server	

## Good For Enterprise- Domino Pre-Installation Checklist



Remote SQL 2005 / SQL 2005 Cluster Verify that Good Admin account owns dbcreator permissions	<input type="checkbox"/>
Remote SQL 2008 / SQL 2008 Cluster Verify that Good Admin account owns dbcreator permissions	<input type="checkbox"/>
Database Authentication: SQL Authentication	<input type="checkbox"/>
AD Authentication	<input type="checkbox"/>
2.5MB/User SQL Space required	

### Accounts:

If using Role Based Administration in Good Mobile Control Server DomainUser: GoodAdmin with Mailbox and if not just use a local Good host admin	<input type="checkbox"/>
--	--------------------------